

Fall 2018

CSCI 420: **Computer Graphics**

6.1 Texture Mapping




Hao Li

<http://cs420.hao-li.com>

Outline

- Introduction
- Texture mapping in OpenGL
- Filtering and Mipmaps
- Example
- Non-color texture maps

How Do You Add Detail to a Cube?



six sides - six colors?

Texture Mapping

- A way of adding surface details
- Two ways can achieve the goal:
 - Model the surface with more polygons
 - Slows down rendering speed
 - Hard to model fine features
 - Map a texture to the surface
 - This lecture
 - **Image complexity does not affect complexity of processing**
- Efficiently supported in hardware



Trompe L'Oeil (“Deceive the Eye”)



Jesuit Church, Vienna, Austria

- Windows and columns in the dome are painted, not a real 3D object
- Similar idea with texture mapping:

Rather than modeling the intricate 3D geometry, replace it with an image !

Map textures to surfaces



an image

texture map






image mapped
to a 3D polygon
The polygon can
have arbitrary size,
shape and 3D position

The Texture

- Texture is a bitmap image
 - Can use an image library to load image into memory
 - Or can create images yourself within the program
- 2D array:
`unsigned char texture[height][width][4]`
- Or unrolled into 1D array:
`unsigned char texture[4*height*width]`
- Pixels of the texture are called *texels*
- Texel coordinates (s,t) scaled to [0,1] range



Texture map



Texture map

$(0,1)$ $(1,1)$



$(0,0)$ $(1,0)$

texture image

$(0,1)$




$(1,1)$

$(0,0)$


$(1,0)$

3D polygon

Inverse texture map




texture image



screen image


For each pixel, lookup into the texture image to obtain color

The “st” coordinate system




Note: also called “uv” space

Texture mapping: key slide




Specifying texture coordinates in OpenGL

- Use `glTexCoord2f(s,t)`
- State machine: Texture coordinates remain valid until you change them
- Example (from previous slide) :




```
glEnable(GL_TEXTURE_2D); // turn texture mapping on
glBegin(GL_TRIANGLES);
    glTexCoord2f(0.35,0.05); glVertex3f(2.0,-1.0,0.0);
    glTexCoord2f(0.7,0.55); glVertex3f(-2.0,1.0,0.0);
    glTexCoord2f(0.1,0.7); glVertex3f(0.0,1.0,0.0);
glEnd();
glDisable(GL_TEXTURE_2D); // turn texture mapping off
```

What if texture coordinates are outside of $[0,1]$?




Solution 1: Repeat texture

```
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_S, GL_REPEAT)  
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_T, GL_REPEAT)
```





Solution 2: Clamp to [0,1]

```
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_S, GL_CLAMP)  
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_T, GL_CLAMP)
```



Combining texture mapping and shading



Model + Shading + Textures

At what point do things start looking real?



For more info on the computer artwork of Jeremy Birn see <http://www.3drender.com/jbirn/productions.html>

Combining texture mapping and shading

- Final pixel color = a combination of texture color and color under standard OpenGL Phong lighting
- `GL_MODULATE`: multiply texture and Phong lighting color
- `GL_BLEND`: linear combination of texture and Phong lighting color
- `GL_REPLACE`: use texture color only (ignore Phong lighting)
- Example:

```
glTexEnvf(GL_TEXTURE_ENV,  
          GL_TEXTURE_ENV_MODE, GL_REPLACE);
```

Outline

- Introduction
- Texture mapping in OpenGL
- Filtering and Mipmaps
- Example
- Non-color texture maps

Texture mapping in OpenGL

- **During your initialization:**
 1. Read texture image from file into an array in memory, or generate the image using your program
 2. Specify texture mapping parameters
 - Wrapping, filtering, etc.
 3. Initialize and activate the texture
- **In display():**
 1. Enable OpenGL texture mapping
 2. Draw objects: Assign texture coordinates to vertices
 3. Disable OpenGL texture mapping

Initializing the texture

- Do once during initialization, for each texture image in the scene, by calling `glTexImage2D`
- The dimensions of texture images **must be powers of 2**
 - if not, rescale image or pad with zero
 - or can use OpenGL extensions
- Can load textures dynamically if GPU memory is scarce

glTexImage2D

- `glTexImage2D(GL_TEXTURE_2D, level, internalFormat, width, height, border, format, type, data)`
- `GL_TEXTURE_2D`: specifies that it is a 2D texture
- Level: used for specifying levels of detail for mipmapping (default:0)
- InternalFormat
 - Often: `GL_RGB` or `GL_RGBA`
 - Determines how the texture is stored internally
- Width, Height
 - The size of the texture must be powers of 2
- Border (often set to 0)
- Format, Type
 - Specifies what the input data is (`GL_RGB`, `GL_RGBA`, ...)
 - Specifies the input data type (`GL_UNSIGNED_BYTE`, `GL_BYTE`, ...)
 - Regardless of Format and Type, OpenGL converts the data to internalFormat
- Data: pointer to the image buffer

Enable/disable texture mode

- Must be done before rendering any primitives that are to be texture-mapped
 - `glEnable(GL_TEXTURE_2D)`
 - `glDisable(GL_TEXTURE_2D)`
- Successively enable/disable texture mode to switch between drawing textured/non-textured polygons
- Changing textures:
 - Only one texture is active at any given time
(with OpenGL extensions, more than one can be used simultaneously; this is called *multitexturing*)
 - Use `glBindTexture` to select the active texture

Outline

- Introduction
- Texture mapping in OpenGL
- Filtering and Mipmaps
- Example
- Non-color texture maps

Texture interpolation

- This photo is too small




Zooming

- First consider a black and white image



- We want to blow it up to poster size (zoom by a factor of 16)
- First try: repeat each row 16 times, then each column 16 times

Zooming: Nearest Neighbor Interpolation



Zooming: First Attempt


- That didn't work so well
- We need a better way to find the in between values
- Let's consider one horizontal slice through the image (one scanline)



Interpolation


- Problem statement:
 - Given the values of a function f at a few locations, e.g. $f(1)$, $f(2)$, $f(3)$, ...
 - Find the rest of the values: what is $f(1.5)$?
- This is called **Interpolation**
- We need some models that predicts how the function behaves

Linear Interpolation (LERP)



Linear Interpolation (LERP)


- To compute $f(x)$, find the two points x_{left} and x_{right} that x lies between




Bilinear Interpolation (in 2D)

- Interpolate in x then in y

$$\begin{aligned} f(x, y) \approx & \frac{f(Q_{11})}{(x_2 - x_1)(y_2 - y_1)}(x_2 - x)(y_2 - y) \\ & + \frac{f(Q_{21})}{(x_2 - x_1)(y_2 - y_1)}(x - x_1)(y_2 - y) \\ & + \frac{f(Q_{12})}{(x_2 - x_1)(y_2 - y_1)}(x_2 - x)(y - y_1) \\ & + \frac{f(Q_{22})}{(x_2 - x_1)(y_2 - y_1)}(x - x_1)(y - y_1). \end{aligned}$$



Comparison




Nearest Neighbor



Bilinear

Texture interpolation

5 x 5 texture




Texture Interpolation in OpenGL

- (s,t) coordinates typically not directly at pixel in the texture, but in between
 - Solutions:
 - Use the nearest neighbor to determine color
 - ▶ Faster, but worse quality
- ```
glTexParameteri(GL_TEXTURE_2D,
 GL_TEXTURE_MIN_FILTER, GL_NEAREST)
```
- Linear interpolation
    - ▶ Incorporate colors of several neighbors to determine color
    - ▶ Slower, better quality
- ```
glTexParameteri(GL_TEXTURE_2D,  
                GL_TEXTURE_MIN_FILTER, GL_LINEAR)
```


Filtering

- Texture image is shrunk in distant parts of the image
- This leads to aliasing
- Can be fixed with *filtering*
 - bilinear in space
 - trilinear in space and level of detail (mipmapping)




Mipmapping

- Pre-calculate how the texture should look at various distances, then use the appropriate texture at each distance
- Reduces / fixes the aliasing problem



Mipmapping

- Each mipmap (each image below) represents a level of depth (LOD).
- Powers of 2 make things much easier.



Mipmapping in OpenGL

- `gluBuild2DMipmaps(GL_TEXTURE_2D, components, width, height, format, type, data)`
 - This will generate all the mipmaps automatically
- `glTexParameterf(GL_TEXTURE_2D, GL_TEXTURE_MIN_FILTER, GL_NEAREST_MIPMAP_NEAREST)`
 - This will tell GL to use the mipmaps for the texture

Outline

- Introduction
- Texture mapping in OpenGL
- Filtering and Mipmaps
- Example
- Non-color texture maps

Complete example

```
void initTexture()
{
    load image into memory; // can use libjpeg, libtiff, or other image library
    // image should be stored as a sequence of bytes, usually 3 bytes per
    // pixel (RGB), or 4 bytes (RGBA); image size is 4 * 256 * 256 bytes in
    // this example
    // we assume that the image data location is stored in pointer "pointerToImage"

    // create placeholder for texture
    glGenTextures(1, &texName); // must declare a global variable in
    program header: GLuint texName
    glBindTexture(GL_TEXTURE_2D, texName); // make texture
    "texName" the currently active texture

    (continues on next page)
```

Complete example (part 2)

```
// specify texture parameters (they affect whatever texture is active)
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_S, GL_REPEAT);
// repeat pattern in s
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_T, GL_REPEAT);
// repeat pattern in t

// use linear filter both for magnification and minification
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_MAG_FILTER,
GL_LINEAR);
glTexParameterf(GL_TEXTURE_2D, GL_TEXTURE_MIN_FILTER,
GL_LINEAR);

// load image data stored at pointer "pointerToImage" into the currently
// active texture ("texName")
glTexImage2D(GL_TEXTURE_2D, 0, GL_RGBA, 256, 256, 0,
GL_RGBA, GL_UNSIGNED_BYTE, pointerToImage);

} // end init()
```

Complete example (part 3)

```
void display()
{
    ...
    // no modulation of texture color with lighting; use texture color directly
    glTexEnvf(GL_TEXTURE_ENV, GL_TEXTURE_ENV_MODE,
GL_REPLACE);

    // turn on texture mapping (this disables standard OpenGL lighting, unless in
GL_MODULATE mode)
    glEnable(GL_TEXTURE_2D);

    (continues on next page)
```

Complete example (part 4)

```
glBegin(GL_QUADS); // draw a textured quad
  glTexCoord2f(0.0,0.0); glVertex3f(-2.0,-1.0,0.0);
  glTexCoord2f(0.0,1.0); glVertex3f(-2.0,1.0,0.0);
  glTexCoord2f(1.0,0.0); glVertex3f(0.0,1.0,0.0);
  glTexCoord2f(1.0,1.0); glVertex3f(0.0,-1.0,0.0);
glEnd();

// turn off texture mapping
glDisable(GL_TEXTURE_2D);

// draw some non-texture mapped objects
// (standard OpenGL lighting will be used if it is enabled)
...
// switch back to texture mode, etc.
...
} // end display()
```

Outline

- Introduction
- Texture mapping in OpenGL
- Filtering and Mipmaps
- Example
- Non-color texture maps

Textures do not have to represent color


- Specularity (patches of shininess)
- Transparency (patches of clearness)
- Normal vector changes (bump maps)
- Reflected light (environment maps)
- Shadows
- Changes in surface height (displacement maps)

Bump mapping



Bump mapping

- How do you make a surface look *rough*?
 - Option 1: model the surface with many small polygons
 - Option 2: perturb the normal vectors before the shading calculation
 - ▶ Fakes small displacements above or below the true surface
 - ▶ The surface doesn't actually change, but shading makes it look like there are irregularities!
 - ▶ A texture stores information about the "fake" height of the surface




Real Bump




Fake Bump

Bump mapping


- We can perturb the normal vector without having to make any actual change to the shape.
- This illusion can be seen through—how?



Original model
(5M)




Simplified
(500)





Simple model with
bump map

Light Mapping

- *Quake* uses *light maps* in addition to texture maps. Texture maps are used to add detail to surfaces, and light maps are used to store pre-computed illumination. The two are multiplied together at run-time, and cached for efficiency.



Texture Map Only



Light Map



Texture + Light Map



Summary

- Introduction
- Texture mapping in OpenGL
- Filtering and Mipmaps
- Example
- Non-color texture maps

<http://cs420.hao-li.com>

Thanks!

